AMENDMENTS TO THE CLAIMS

- 1. (currently amended) A hand-held ballistic shield, comprising:
- a shield having a front face and a reverse face and formed of a ballistic material;
- a viewing window through the shield;
- a handle associated with the shield for carrying the shield or holding the shield in front of at least a portion of a user's body;
- a frame for mounting a firearm attached to the shield; and
- a firearm mounted to the shield and dischargeably operable when so mounted, wherein said firearm is mounted for discharge in a direction at an angle outwardly from the front face of the shield.
- 2. (original) The ballistic shield of claim 1, wherein the firearm is selected from the group consisting of: taser guns, pistols, revolvers, gas discharge firearms.
- 3. (original) The ballistic shield of claim 1, wherein the ballistic material is selected from the group consisting of: boron carbide, silicon carbide, silicon nitride, aluminum oxide, alumina ceramic, titanium diboride, reinforced fiberglass composite, reinforced fiber and polymer resin composite, and mixtures of such materials.
- 4. (original) The ballistic shield of claim 1, wherein the viewing window is formed from a material selected from the group consisting of: bullet proof glass and polycarbonate polymer.
- 5. (original) The ballistic shield of claim 1, wherein the handle is a forearm cuff.

Application No. 10/709,626 Amendment dated September 12, 2006 Reply to Office Action of June 12, 2006

- 6. (original) The ballistic shield of claim 1, wherein the firearm is a taser gun, and further comprising a battery mounted to the shield for charging the taser gun.
- 7. (original) The ballistic shield of claim 1, further comprising a disabling sensor to disable the firearm in response to a predetermined signal or a predetermined absence of a signal.
- 8. (original) The ballistic shield of claim 1, wherein the firearm is mounted so that it discharges in a direction substantially perpendicular to the front face of the shield.
- 9. (canceled)
- 10. (original) The ballistic shield of claim 1, further comprising a second firearm mounted to the shield.
- 11. (original) The ballistic shield of claim 10, wherein the second firearm is mounted so that it discharges in a direction substantially parallel to the rear face of the shield.
- 12. (original) The ballistic shield of claim 1, further comprising a second weapon mounted to the rear face of the shield.
- 13. (original) The ballistic shield of claim 1, further comprising one or more communications accessories mounted to the shield.
- 14. (original) The ballistic shield of claim 13, wherein the communications accessories are selected from the group consisting of: radio, camera, digital camera, video camera, cellular phone, cellular video, audio speaker, megaphone, homing signaling device, and global positioning transponder.
- 15. (original) The ballistic shield of claim 1, further comprising one or more mirrors associated with the viewing window to extend the field of vision through said viewing window.

Application No. 10/709,626 Amendment dated September 12, 2006 Reply to Office Action of June 12, 2006

- 16. (original) The ballistic shield of claim 1, further comprising one or more light sources mounted to the shield.
- 17. (original) The ballistic shield of claim 1, wherein shield is employable and the firearm is dischargeable with a single arm operation.
- 18. (currently amended) A portable ballistic shield, comprising:

 a shield having a front face and a reverse face and formed of a ballistic material;
 - a viewing window through the shield;
 - a handle associated with the shield for carrying the shield or holding the shield in front of a user's body;
 - a frame for mounting a firearm attached to the shield; and
 a firearm mounted to the shield and dischargeably operable when
 so mounted, wherein said firearm is mounted for discharge in a
 direction at an angle outwardly from the front face of the shield;
 - a second firearm mounted to the shield and dischargeably operable when so mounted, wherein said second firearm is mounted so as to discharge in a direction that is different from a discharge direction of said first firearm;
 - one or more light sources mounted to the shield; and
 a disabling sensor to disable the firearms in response to a
 predetermined signal or a predetermined absence of a signal.

19. (New) A hand-held ballistic shield, comprising:

a shield having a front face and a reverse face and formed of a ballistic material;

a means for viewing through the shield;

a means for carrying or holding the shield in front of at least a portion of a user's

body;

a means for mounting mounting a firearm to the shield; and

a firearm mounted to the shield and dischargeably operable when so mounted,

wherein said firearm is mounted for discharge in a direction at an angle

outwardly from the front face of the shield.

20. (New) The hand-held ballistic shield of claim 19, wherein said means for viewing

through the shield comprises a window; said means for carrying or holding the shield

comprises a handle; and said means for mounting mounting a firearm comprises a frame.

5